SAFETY DATA SHEET

I.1. Product identifier Product name Product number I.2. Relevant identified uses dentified uses I.3. Details of the supplier of	ANTI-VIRAL CAR FOGGER ACF150 s of the substance or mixture and uses advised against
Product number I.2. Relevant identified uses dentified uses	ACF150 s of the substance or mixture and uses advised against
I.2. Relevant identified uses dentified uses	s of the substance or mixture and uses advised against
dentified uses	
1.3. Details of the supplier of	Disinfectant.
	of the safety data sheet
Supplier	Autoglym
	Works Road
	Letchworth
	Herts
	SG6 1LU
	+44 (0)1462 677766
	+44 (0)1462 677712 sds@autoglym.com
I.4. Emergency telephone r	
Emergency telephone	+44 (0) 1462 489498 (24Hrs)
SECTION 2: Hazards identi	ification
2.1. Classification of the sub	ostance or mixture
Classification (EC 1272/200)8)
Physical hazards	Aerosol 1 - H222, H229
lealth hazards	Eye Irrit. 2 - H319
Environmental hazards	Not Classified
Human health	Vapours and spray/mists in high concentrations are narcotic.
Environmental	The product contains a substance which is harmful to aquatic organisms.
Physicochemical	Containers can burst violently or explode when heated, due to excessive pressure build-up The product is extremely flammable. Vapours may form explosive mixtures with air.
2.2. Label elements	
lazard pictograms	

Signal word

Danger

Hazard statements	EUH208 Contains (+/-)-1-Methyl-4-(1-methylv reaction. H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heat H319 Causes serious eye irritation.	
Precautionary statements	P102 Keep out of reach of children.	l area. ing/ eye protection/ face protection. sly with water for several minutes. Remove itinue rinsing.
Supplementary precautionary statements	P264 Wash hands thoroughly after handling. P337+P313 If eye irritation persists: Get medi P501 Dispose of contents/ container in accord	
2.3. Other hazards		
SECTION 3: Composition/info	rmation on ingredients	
3.2. Mixtures		
Ethanol		30-60%
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01- 2119457610-43-XXXX
Classification Flam. Liq. 2 - H225		
Petroleum Gases, Liquified		30-60%
CAS number: 68476-85-7	EC number: 270-704-2	REACH registration number: 01- 2119485911-31-XXXX
Classification Flam. Gas 1 - H220		
(+/-)-1-Methyl-4-(1-methylviny	/l)cyclohexene	<1%
CAS number: 7705-14-8	EC number: 231-732-0	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If in doubt, get medical attention promptly.
Ingestion	Rinse mouth thoroughly with water. Remove person to fresh air and keep comfortable for breathing. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
4.2. Most important symptoms	and effects, both acute and delayed
General information	See Section 11 for additional information on health hazards.
Eye contact	Causes serious eye irritation.
4.3. Indication of any immediate medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting measurements	sures
5.1. Extinguishing media	
Suitable extinguishing media	Use foam, carbon dioxide or dry powder to extinguish.
Suitable extinguishing media 5.2. Special hazards arising fr	
5.2. Special hazards arising fr	om the substance or mixture
5.2. Special hazards arising fr Specific hazards	om the substance or mixture
 5.2. Special hazards arising fr Specific hazards 5.3. Advice for firefighters Protective actions during 	om the substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. Use water to keep fire exposed containers cool and disperse vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.
5.2. Special hazards arising fr Specific hazards 5.3. Advice for firefighters Protective actions during firefighting SECTION 6: Accidental release	om the substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. Use water to keep fire exposed containers cool and disperse vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.
5.2. Special hazards arising fr Specific hazards 5.3. Advice for firefighters Protective actions during firefighting SECTION 6: Accidental release	om the substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. Use water to keep fire exposed containers cool and disperse vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.
5.2. Special hazards arising fr Specific hazards 5.3. Advice for firefighters Protective actions during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, pro	om the substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. Use water to keep fire exposed containers cool and disperse vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Be measures tective equipment and emergency procedures Avoid inhalation of vapours and contact with skin and eyes. Ensure suitable respiratory protection is worn during removal of spillages in confined areas.
 5.2. Special hazards arising fr Specific hazards 5.3. Advice for firefighters Protective actions during firefighting SECTION 6: Accidental release 6.1. Personal precautions, pro- Personal precautions 	om the substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. Use water to keep fire exposed containers cool and disperse vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Be measures tective equipment and emergency procedures Avoid inhalation of vapours and contact with skin and eyes. Ensure suitable respiratory protection is worn during removal of spillages in confined areas.
5.2. Special hazards arising fr Specific hazards 5.3. Advice for firefighters Protective actions during firefighting SECTION 6: Accidental release 6.1. Personal precautions, propersional precautions 6.2. Environmental precaution	om the substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. Use water to keep fire exposed containers cool and disperse vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Be measures tective equipment and emergency procedures Avoid inhalation of vapours and contact with skin and eyes. Ensure suitable respiratory protection is worn during removal of spillages in confined areas. S Avoid discharge into drains.

6.4. Reference to other sections

Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
SECTION 7: Handling and sto	orage
7.1. Precautions for safe hand	dling
Usage precautions	Keep away from heat, sparks and open flame. Read and follow manufacturer's recommendations. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited. Use suitable respiratory protection if ventilation is inadequate.
Advice on general occupational hygiene	Wash promptly with soap and water if skin becomes contaminated.
7.2. Conditions for safe storage	ge, including any incompatibilities
Storage precautions	Do not store near heat sources or expose to high temperatures. Keep away from heat, sparks and open flame.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure control	ols/Personal protection
8.1. Control parameters Occupational exposure limits	
Ethanol	
Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³	
Petroleum Gases, Liquified	
Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m³ Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m³ WEL = Workplace Exposure Limit.	
8.2. Exposure controls	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	No specific hand protection recommended.
Other skin and body protection	Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist.
Respiratory protection	No specific recommendations. If ventilation is inadequate, suitable respiratory protection must be worn.
SECTION 9: Physical and che	emical properties
9.1. Information on basic physic	sical and chemical properties
Appearance	Aerosol.
Colour	Clear.
Odour	Solvent.
Odour threshold	No information available.

pH No information available.

Initial boiling point and range	-41 (-41 to 78)°C
Flash point	-40°C Closed cup.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	Lower flammable/explosive limit: 1.8 % Upper flammable/explosive limit: 15.0 %
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	0.66
Solubility(ies)	Soluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	425°C
Decomposition Temperature	No information available.
Viscosity	No information available.
Oxidising properties	No information available.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
10.2. Chemical stability	
Stability	
	The product may not be stable under some conditions of storage or use.
10.3. Possibility of hazardous	
10.3. Possibility of hazardous Possibility of hazardous reactions	
Possibility of hazardous	reactions
Possibility of hazardous reactions	reactions
Possibility of hazardous reactions 10.4. Conditions to avoid	reactions Not known. Avoid heat, flames and other sources of ignition. Avoid exposing aerosol containers to high
Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid	reactions Not known. Avoid heat, flames and other sources of ignition. Avoid exposing aerosol containers to high
Possibility of hazardous reactions <u>10.4. Conditions to avoid</u> Conditions to avoid <u>10.5. Incompatible materials</u>	reactions Not known. Avoid heat, flames and other sources of ignition. Avoid exposing aerosol containers to high temperatures or direct sunlight. None known.
Possibility of hazardous reactions <u>10.4. Conditions to avoid</u> Conditions to avoid <u>10.5. Incompatible materials</u> Materials to avoid	reactions Not known. Avoid heat, flames and other sources of ignition. Avoid exposing aerosol containers to high temperatures or direct sunlight. None known.
Possibility of hazardous reactions <u>10.4. Conditions to avoid</u> Conditions to avoid <u>10.5. Incompatible materials</u> Materials to avoid <u>10.6. Hazardous decomposition</u>	reactions Not known. Avoid heat, flames and other sources of ignition. Avoid exposing aerosol containers to high temperatures or direct sunlight. None known. on products None at ambient temperatures.
Possibility of hazardous reactions <u>10.4. Conditions to avoid</u> Conditions to avoid <u>10.5. Incompatible materials</u> Materials to avoid <u>10.6. Hazardous decomposition</u> Hazardous decomposition products	reactions Not known. Avoid heat, flames and other sources of ignition. Avoid exposing aerosol containers to high temperatures or direct sunlight. None known. on products None at ambient temperatures. formation

Serious eye damage/irritation Causes serious eye irritation.

Inhalation	Vapours in high concentrations are narcotic. Vapours may cause headache, fatigue, dizziness and nausea.
Skin contact	May cause sensitisation or allergic reactions in sensitive individuals.
Eye contact	Causes serious eye irritation.
Acute and chronic health hazards	No known chronic or acute health risks.
Route of exposure	Inhalation Skin and/or eye contact
SECTION 12: Ecological inform	nation
12.1. Toxicity	
12.2. Persistence and degrada	ability
Persistence and degradability	No data available.
12.3. Bioaccumulative potentia	<u>u</u>
Partition coefficient	No information available.
12.4. Mobility in soil	
Mobility	No data available.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	None known.
Other adverse effects SECTION 13: Disposal consid	
	erations
SECTION 13: Disposal consid	erations
SECTION 13: Disposal consid	erations <u>s</u>
SECTION 13: Disposal consid 13.1. Waste treatment method General information	erations S Dispose of waste product or used containers in accordance with local regulations Containers should be thoroughly emptied before disposal because of the risk of an explosion. Do not pierce or burn, even after use.
SECTION 13: Disposal consid 13.1. Waste treatment method General information Disposal methods	erations S Dispose of waste product or used containers in accordance with local regulations Containers should be thoroughly emptied before disposal because of the risk of an explosion. Do not pierce or burn, even after use.
SECTION 13: Disposal consid 13.1. Waste treatment method General information Disposal methods SECTION 14: Transport inform	erations S Dispose of waste product or used containers in accordance with local regulations Containers should be thoroughly emptied before disposal because of the risk of an explosion. Do not pierce or burn, even after use.
SECTION 13: Disposal consid 13.1. Waste treatment method General information Disposal methods SECTION 14: Transport inform 14.1. UN number	erations S Dispose of waste product or used containers in accordance with local regulations Containers should be thoroughly emptied before disposal because of the risk of an explosion. Do not pierce or burn, even after use. nation
SECTION 13: Disposal consid 13.1. Waste treatment method General information Disposal methods SECTION 14: Transport inform 14.1. UN number UN No. (ADR/RID)	erations S Dispose of waste product or used containers in accordance with local regulations Containers should be thoroughly emptied before disposal because of the risk of an explosion. Do not pierce or burn, even after use. Tation 1950
SECTION 13: Disposal consid 13.1. Waste treatment method General information Disposal methods SECTION 14: Transport inform 14.1. UN number UN No. (ADR/RID) UN No. (IMDG)	erations S Dispose of waste product or used containers in accordance with local regulations Containers should be thoroughly emptied before disposal because of the risk of an explosion. Do not pierce or burn, even after use. Nation 1950 1950
SECTION 13: Disposal consid 13.1. Waste treatment method General information Disposal methods SECTION 14: Transport inform 14.1. UN number UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO)	erations S Dispose of waste product or used containers in accordance with local regulations Containers should be thoroughly emptied before disposal because of the risk of an explosion. Do not pierce or burn, even after use. nation 1950 1950 1950 1950
SECTION 13: Disposal consid 13.1. Waste treatment method General information Disposal methods SECTION 14: Transport inform 14.1. UN number UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO) UN No. (ADN)	erations S Dispose of waste product or used containers in accordance with local regulations Containers should be thoroughly emptied before disposal because of the risk of an explosion. Do not pierce or burn, even after use. nation 1950 1950 1950 1950
SECTION 13: Disposal consident in the second structure in the second st	erations S Dispose of waste product or used containers in accordance with local regulations Containers should be thoroughly emptied before disposal because of the risk of an explosion. Do not pierce or burn, even after use. nation 1950 1950 1950 2 AEROSOLS
SECTION 13: Disposal consident in the second sec	erations S Dispose of waste product or used containers in accordance with local regulations Containers should be thoroughly emptied before disposal because of the risk of an explosion. Do not pierce or burn, even after use. nation 1950 1950 1950 8 AEROSOLS AEROSOLS
SECTION 13: Disposal consident in the second sec	erations S Dispose of waste product or used containers in accordance with local regulations Containers should be thoroughly emptied before disposal because of the risk of an explosion. Do not pierce or burn, even after use. nation 1950 1950 1950 8 AEROSOLS AEROSOLS

14.3. Transport hazard class(es)

ADR/RID class	2.1
ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

Transport labels



14.4. Packing group	
ADR/RID packing group	None
IMDG packing group	None
ICAO packing group	None
ADN packing group	None

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

F-D, S-U
2
(D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
National regulations	The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date	05/05/2020
Revision	1
SDS number	22444
Hazard statements in full	 H220 Extremely flammable gas. H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H229 Pressurised container: may burst if heated. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH208 Contains (+/-)-1-Methyl-4-(1-methylvinyl)cyclohexene. May produce an allergic reaction.
Signature	Daniel Higgs