

CLEAN WHEELS

Page: 1 Compilation date: 23/11/2006 Revision date: 23/04/2015 Revision No: 10

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: CLEAN WHEELS

Product code: * BCW/LFS/160312

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Detergent for use on motor vehicle wheels

1.3. Details of the supplier of the safety data sheet

Company name: AUTOGLYM

	Works Road		
	Letchworth		
	Herts		
	SG6 1LU		
	UK		
Tel:	+44 (0) 1462 677766		
Fax:	+44 (0) 1462 677712		
Email:	sds@autoglym.co.uk		

1.4. Emergency telephone number

Emergency tel: +44 (0) 1462 489498 (24Hrs)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP: C: R34

Classification under CLP: Skin Corr. 1A: H314; Met. Corr. 1: H290

Most important adverse effects: Causes burns.

2.2. Label elements

Label elements under CLP:

Hazard statements: * H314: Causes severe skin burns and eye damage.

H290: May be corrosive to metals.

Signal words: * Danger

Hazard pictograms: * GHS05: Corrosion



CLEAN WHEELS

		Page:	2
Precautionary statements:	* P102: Keep out of reach of children.		
	P260: Do not breathe dust/fumes/gas/mist/vapours/spray.		
	P280: Wear protective gloves/protective clothing/eye protection/face protection.		
	P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.		
	P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse sk with water/shower.	in	
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact		
	lenses, if present and easy to do. Continue rinsing.		
	P310: Immediately call a POISON CENTER or doctor.		
Label elements under CHIP:			
Hazard symbols:	* Corrosive.		
Risk phrases:	* R34: Causes burns.		
Safety phrases:	* S2: Keep out of the reach of children.		
	S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice	æ.	
	\$36/37/39: Wear suitable protective clothing, gloves and eye / face protection.		
	S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label		
	where possible).		
2.3. Other hazards			

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

* Hazardous ingredients:

HYDROCHLORIC ACID

	EINECS	CAS	CHIP Classification	CLP Classification	Percent
	231-595-7	-	C: R34; Xi: R37	Skin Corr. 1B: H314; STOT SE 3: H335	1-10%
C9-11 ALCOHOL ETHOXYLATE					
					(

- 68439-45-2 Xn: R22; Xi: R41 Acute Tox. 4: H302; Eye Dam. 1: H318 1-10%
--

Contains: <5% Non-ionic surfactants

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

SAFETY DATA SHEET CLEAN WHEELS

Eve contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.	
-	Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10	
ingestion		
	minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If	
	unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as	
	possible.	
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and	
	breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies	
	down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer	
	to hospital as soon as possible.	
4.2. Most important symptoms and effects, both acute and delayed		
Skin contact:	Blistering may occur. Progressive ulceration will occur if treatment is not immediate.	
	Corneal burns may occur. May cause permanent damage.	
	Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from	
	the mouth or nose.	
Inhalation:	There may be shortness of breath with a burning sensation in the throat. Exposure may cause	
	coughing or wheezing.	
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.	
4.3. Indication of any immedia	ate medical attention and special treatment needed	
Immediate / special treatment:	Eye bathing equipment should be available on the premises.	

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin

and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

CLEAN WHEELS

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance.

Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not

handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Impermeable gloves.Eye protection:Tightly fitting safety goggles. Ensure eye bath is to hand.Skin protection:Impermeable protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

CLEAN WHEELS

				5
Odour:	Irritating odour			
Evaporation rate:	No data available.			
Oxidising:	No data available.			
Solubility in water:	Highly soluble			
Viscosity:	Non-viscous			
Boiling point/range°C:	100	Melting point/range°C:	No data available.	
Flammability limits %: lower:	Not applicable.	upper:	Not applicable.	
Flash point°C:	Not applicable.	Part.coeff. n-octanol/water:	No data available.	
Autoflammability°C:	Not applicable.	Vapour pressure:	No data available.	
Relative density:	1.0168	pH:	1.78	
VOC g/I:	No data available.			

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong bases.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

[cont...]

Page: 5

SAFETY DATA SHEET CLEAN WHEELS

Relevant effects for mixture):		
Effect		Route	Basis
Corrosivity		OPT INH DRM	Hazardous: calculated
Symptoms / routes of exposu	re		
Skin contact:	Blistering n	nay occur. Progressive ulcera	tion will occur if treatment is not immediate.
Eye contact:	Corneal bu	irns may occur. May cause pe	ermanent damage.
Ingestion:	Corrosive	burns may appear around the	e lips. Blood may be vomited. There may be bleeding from
	the mouth	or nose.	
Inhalation:	There may	be shortness of breath with	a burning sensation in the throat. Exposure may cause
	coughing o	r wheezing.	
Delayed / immediate effects:	Immediate	effects can be expected after	short-term exposure.
Section 12: Ecological inform	ation		
12.1. Toxicity			
Ecotoxicity values:	No data av	ailable.	
12.2. Persistence and degrada	bility		
Persistence and degradability:	Biodegrada	ble.	
12.3. Bioaccumulative potential			
Bioaccumulative potential: No bioaccumulation potential.			
12.4. Mobility in soil			
Mobility:	Mobility: Readily absorbed into soil.		
12.5. Results of PBT and vPvB	assessme	nt	
PBT identification:	This produ	ct is not identified as a PBT/v	PvB substance.
12.6. Other adverse effects			
Other adverse effects:	Negligible	ecotoxicity.	
Section 13: Disposal considerations			
13.1. Waste treatment metho	ods		
Disposal operations:	Transfer to	a suitable container and arra	ange for collection by specialised disposal company.
Waste code number:	070601		
NB:	The user's	attention is drawn to the pos	ssible existence of regional or national regulations
	regarding c	lisposal.	
Section 14: Transport information			

CLEAN WHEELS

Page: 7

Marine pollutant: No

14.1. UN number

UN number: UN1760

14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, N.O.S.

(HYDROCHLORIC ACID)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: * ||

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

 * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.2 H290: May be corrosive to metals. H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H335: May cause respiratory irritation. R22: Harmful if swallowed. R34: Causes burns. R37: Irritating to respiratory system. R41: Risk of serious damage to eyes. PNEC = predicted no effect level 	Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.
 H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H335: May cause respiratory irritation. R22: Harmful if swallowed. R34: Causes burns. R37: Irritating to respiratory system. R41: Risk of serious damage to eyes. 		* indicates text in the SDS which has changed since the last revision.
 H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H335: May cause respiratory irritation. R22: Harmful if swallowed. R34: Causes burns. R37: Irritating to respiratory system. R41: Risk of serious damage to eyes. 	Phrases used in s.2 and s.3:	H290: May be corrosive to metals.
H318: Causes serious eye damage. H335: May cause respiratory irritation. R22: Harmful if swallowed. R34: Causes burns. R37: Irritating to respiratory system. R41: Risk of serious damage to eyes.		H302: Harmful if swallowed.
H335: May cause respiratory irritation. R22: Harmful if swallowed. R34: Causes burns. R37: Irritating to respiratory system. R41: Risk of serious damage to eyes.		H314: Causes severe skin burns and eye damage.
R22: Harmful if swallowed. R34: Causes burns. R37: Irritating to respiratory system. R41: Risk of serious damage to eyes.		H318: Causes serious eye damage.
R34: Causes burns. R37: Irritating to respiratory system. R41: Risk of serious damage to eyes.		H335: May cause respiratory irritation.
R37: Irritating to respiratory system. R41: Risk of serious damage to eyes.		R22: Harmful if swallowed.
R41: Risk of serious damage to eyes.		R34: Causes burns.
		R37: Irritating to respiratory system.
Legend to abbreviations: PNEC = predicted no effect level		R41: Risk of serious damage to eyes.
	Legend to abbreviations:	PNEC = predicted no effect level
DNEL = derived no effect level		DNEL = derived no effect level

CLEAN WHEELS

Page: 8

LD50 = median lethal dose LC50 = median lethal concentration EC50 = median effective concentration IC50 = median inhibitory concentration dw = dry weight bw = body weight cc = closed cup oc = open cup MUS = mouse GPG = guinea pig RBT = rabbit HAM = hamster HMN = human MAM = mammal PGN = pigeon IVN = intravenous SCU = subcutaneous SKN = skin DRM = dermal OCC = ocular/corneal PCP = phycico-chemical properties Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.